



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
-------	------	------	------------	-----------------	-------

## ACURA

Integra	90 / 93	DA9	<b>270-1010</b>	35 mm	
Integra	94 / -	DB&DC4	<b>270-1000</b>	30 mm	

## ALFA ROMEO

145 all	94 / 00	930	<b>11-8000</b>	35 mm	
145 2.0 QV / 146-Ti	96 / 00	930	<b>11-8020</b>	35 mm	
146 all	95 / 00	930	<b>11-8010</b>	30 mm	
147 1.6	00 / 10	937	<b>11-7060</b>	35 mm	
147 2.0 and Diesel	00 / 10	937	<b>11-7070</b>	35 mm	
147 GTA	00 / 10	937	<b>11-7052</b>	35 mm	
155 1.8-2.0 TS	92 / 10.97	167	<b>11-7000</b>	40 mm	
155 2.5 V6	92 / 10.97	167	<b>11-7010</b>	40 mm	
156 4 cyl models, excl. 1.9JTD & 2.0 JTS	97 / 05	932	<b>11-7050</b>	35 mm	
156 5-6 cyl., 1.9JTD, 2.4JTD and GTA	97 / 05	932	<b>11-7051</b>	35 mm	
156 Sportswagon 4 cyl. excl. 1.9JTD	00 / 05	932	<b>11-7050/1</b>	35 mm	
156 Sportswagon 5-6 cyl. and 1.9, 2.4JTD	00 / 05	932	<b>11-7051/1</b>	35 mm	
159 1.8, 1.9 & 2.2JTS, 1.9JTD-M	05 / -	939	<b>11-7200</b>	30 mm	
159 2.4 JTD-M	05 / -	939	<b>11-7210</b>	30 mm	
159 Sportswagon	06 / -	939	<b>11-7230</b>	30 mm	
159 3.2 Q4 Sedan & Sportwagon	06 / -	939	<b>11-7240</b>	30 mm	
164 Twin Spark	88 / 98	164	<b>11-5010</b>	40 mm	
33 16V (cyl. fr. spring)	01.93 / 94	907	<b>11-3010/1</b>	30 mm	front top bearing has 4 bolts
75, Alfetta GTV, (ex. GTV6), Alfetta, Giulietta	85 / 91	116	<b>11-1000</b>	30 mm	
Brera 2.2 JTS	06 / -	939	<b>11-7200</b>	30 mm	
Brera 3.2 Q4	06 / -	939	<b>11-7240</b>	30 mm	
GT 1.9 JTD & 2.0 JTS	03 / 10	936	<b>11-7080</b>	25 mm	
GT 3.2 V6	03 / 10	936	<b>11-7085</b>	30mm	
MiTo 1.4 all	08 / -	163	<b>30-6200</b>	30 mm	
MiTo 1.6 JTDM	08 / -	163	<b>30-6210</b>	30 mm	
Spider	03.90 / 04.94	115	<b>11-6010</b>	40 mm	
Spider & GTV 4 cyl. models	95 / 06	916	<b>11-9010</b>	30 mm	
Spider & GTV V6 models	95 / 06	916	<b>11-9000</b>	35 mm	

## AUDI

80 / 90 excl. 2.3 5-cyl.	86 / 91	89	<b>10-1000</b>	35 mm	
80 4-cyl, excl. cabrio and Quattro.	91 / 94	B4	<b>10-5000/1</b>	40 mm	
80 5-6 cyl, excl. cabrio and Quattro.	91 / 94	B4	<b>10-5000/2</b>	40 mm	
A2 all excl. 1.2 TDi Eco & 1.4 TDi	00 / 05	8Z	<b>10-1500</b>	25 mm	
A2 1.4 TDi & 1.6i	00 / 05	8Z	<b>10-1510</b>	25 mm	
A3 1.6	96 / 05.03	8L	<b>10-8000</b>	45 mm	7)
A3 1.8 and TDi	96 / 05.03	8L	<b>10-8010</b>	35 mm	7)
A3 Quattro / S3	99 / 03	8L	<b>10-8040</b>	30 mm	7), Less lowering on S3

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
A3 1.6 all & 2.0 FSi	03 / -	8P	<b>10-8200</b>	30 mm	2wd only
A3 2.0 FSi DSG, 1.9 & 2.0 TDi	03 / -	8P	<b>10-8210</b>	30 mm	2wd only
A3 Quattro / S3	03 / -	8P	<b>10-8250</b>	30 mm	Less lowering on S3
A4 Saloon 4-cyl. all, excl. Quattro	94 / 00	B5 / 8D	<b>10-7000</b>	40 mm	less lowering on Turbo models
A4 Saloon 6-cyl. all, excl. Quattro	94 / 00	B5 / 8D	<b>10-7010</b>	40 mm	less lowering on Turbo models
A4 Saloon 6 cyl. all, excl. Quattro	94 / 00	B5 / 8D	<b>10-7010</b>	40 mm	less lowering on Turbo models
A4 Avant 4 cyl. benz. models excl. Quattro	96 / 00	B5 / 8D	<b>10-7050</b>	40 mm	less lowering on Turbo models
A4 Avant 5 & 6 cyl. & TDi models excl. Quat.	96 / 00	B5 / 8D	<b>10-7050/1</b>	40 mm	less lowering on Turbo models
A4 Quattro Saloon all 6 cyl. models incl. S4	96 / 00	B5 / 8D	<b>10-7030/3</b>	40 mm	less lowering on Turbo models
A4 Quattro Saloon all 4 cyl. models	96 / 00	B5 / 8D	<b>10-7030</b>	40 mm	less lowering on Turbo models
A4 Quattro Avant all 4 cyl. models	97 / 00	B5 / 8D	<b>10-7030/2</b>	40 mm	less lowering on Turbo models
A4 Quattro Avant all 6 cyl. models incl. S4	97 / 00	B5 / 8D	<b>10-7030/4</b>	40 mm	less lowering on Turbo models
A4 Saloon 2WD 1.6, 2.0	01 / 08	B6 / B7 / 8E	<b>10-7200</b>	40 mm	less lowering on S-Line models
A4 Saloon 2WD 1.8T, 2.0T, 3.0, all TDi	01 / 08	B6 / B7 / 8E	<b>10-7210</b>	40 mm	less lowering on S-Line models
A4 Avant 2WD 1.6, 2.0	01 / 08	B6 / B7 / 8E	<b>10-7240</b>	40 mm	less lowering on S-Line models
A4 Avant 2WD 1.8T, 2.0T, 3.0, all TDi	01 / 08	B6 / B7 / 8E	<b>10-7250</b>	40 mm	less lowering on S-Line models
A4 Quattro Saloon and Avant all	01 / 08	B6 / B7 / 8E	<b>10-7230</b>	40 mm	less lowering on S-Line models
A4 Saloon 4 cyl. all 2WD	08 / -	B8	<b>10-7400</b>	30 mm	less lowering on S-Line models
A4 Saloon 4 cyl. all Quattro	08 / -	B8	<b>10-7405</b>	30 mm	less lowering on S-Line models
A4 Saloon 6 cyl. all 2WD	08 / -	B8	<b>10-7410</b>	30 mm	less lowering on S-Line models
A4 Saloon 6 cyl. all Quattro	08 / -	B8	<b>10-7415</b>	30 mm	less lowering on S-Line models
A4 Avant 4 cyl. all 2WD & Quattro	08 / -	B8	<b>10-7430</b>	30 mm	less lowering on S-Line models
A4 Avant 6 cyl. all 2WD & Quattro	08 / -	B8	<b>10-7440</b>	30 mm	less lowering on S-Line models
<b>A5 See note</b>	06.07 / -	B8	<b>10-5200</b>	25 mm	Superseded by 10-5310
A5 Coupe 4-cyl. all	06.07 / -	B8	<b>10-5300</b>	25 mm	less lowering on S-Line models
A5 Coupe 6-cyl. all excl. S/RS models	06.07 / -	B8	<b>10-5310</b>	25 mm	less lowering on S-Line models
A5 Sportback 4-cyl. all	09.09 / -	B8	<b>10-5320</b>	25 mm	less lowering on S-Line models
A5 Sportback 6-cyl. all excl S/RS Models	09.09 / -	B8	<b>10-5330</b>	25 mm	less lowering on S-Line models
A5 Cabrio all excl 2.7/3.0TDI & S/RS Models	08 / -	B8	<b>10-5340</b>	30 mm	less lowering on S-Line models
A6 all 4 & 5-cyl., excl. Quattro and Avant	91 / 06.97	C4	<b>10-4000/1</b>	40 mm	
A6 4 & 5-cyl. Avant all, excl. Quattro	91 / 97	C4	<b>10-4050/1</b>	40 mm	
A6 V6 Avant all, excl. Quattro	91 / 97	C4	<b>10-4050/2</b>	40 mm	
A6 Saloon, all 4-cyl petrol excl. TDi	07.97 / 05.04	C5 / 4B	<b>10-9000</b>	35 mm	2)
A6 Saloon, all 6-cyl petrol(no turbo) 4-cyl TDi	07.97 / 05.04	C5 / 4B	<b>10-9010</b>	35 mm	2)
A6 Saloon, 6-cyl Turbo + 6-cyl TDi	07.97 / 05.04	C5 / 4B	<b>10-9010/1</b>	35 mm	2)
A6 Avant, all 4-cyl petrol excl. TDi	98 / 05.04	C5 / 4B	<b>10-9020</b>	35 mm	2)
A6 Avant, all 6-cyl petrol(no turbo) 4-cyl TDi	98 / 05.04	C5 / 4B	<b>10-9030</b>	35 mm	2)
A6 Avant, 6-cyl Turbo + 6-cyl TDi	98 / 05.04	C5 / 4B	<b>10-9030/1</b>	35 mm	2)
A6 Quattro, all 4-cyl petrol excl. TDi	97 / 05.04	C5 / 4B	<b>10-9040</b>	35 mm	2)
A6 Quattro, all 6-cyl petrol(no turbo) 4-cyl TDi	97 / 05.04	C5 / 4B	<b>10-9050</b>	35 mm	2)
A6 Quattro, 6-cyl Turbo + 6-cyl TDi	97 / 05.04	C5 / 4B	<b>10-9050/1</b>	35 mm	2)
A6 Saloon all (max front axle load -/1215kg)	05.04 / 2011	C6 / 4F	<b>10-9100</b>	40 mm	2)15) Less lowering on S-line
A6/S6 Saloon all (max front axle load 1216kg/-)	05.04 / 2011	C6 / 4F	<b>10-9110</b>	40 mm	2)15) Less lowering on S-line/S6
A6 Avant all (max front axle load -/1215kg)	05.04 / 2011	C6 / 4F	<b>10-9120</b>	40 mm	2)15) Less lowering on S-line

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
A6/S6 Avant all (max front axle load 1216kg/-)	05.04 / 2011	C6 / 4F	<b>10-9130</b>	40 mm	2)15) Less lowering on S-line/S6
A8 2.8, 2.5 TDI, incl. Quattro	06.94 / 10.02	D2	<b>10-12000</b>	25 mm	
A8 3.7, 4.2 incl. Quattro	06.94 / 10.02	D2	<b>10-12010</b>	25 mm	
TT Coupe & Roadster excl. Quattro	99 / 06	8N	<b>10-3000</b>	40 mm	
TT Coupe & Roadster Quattro	99 / 06	8N	<b>10-3010</b>	40 mm	
TT Coupe 2WD	08.06 / -	8J	<b>10-3200</b>	30 mm	Incl. cars with MRC
TT Coupe Quattro & Roadster all incl. TT-(R)S	08.06 / -	8J	<b>10-3210</b>	25 mm	Incl. cars with MRC, Less lowering on TT-(R)S models

## BMW

E21 315, 316, 318, 320, 320i, 323i	75 / 82	3	<b>20-1000</b>	40 mm	
E24 628-635	82 / 86	6CS/1	<b>20-1010</b>	30 mm	
E28, 4-6 cyl	81 / 88	5/1	<b>20-2010</b>	30 mm	
E30 315, 316, 318i	82 / 90	3/1	<b>20-1020</b>	30 mm	
E30 320i, 323i, 325e, 325i, excl. D	82 / 90	3/1	<b>20-1030</b>	30 mm	
E30 excl. Touring	82 / 90	3/1, 3/R	<b>20-1035</b>	<b>60 mm</b>	1)
E30 Touring, excl. D	82 / 94	3/1	<b>20-1040</b>	30 mm	
E34 all, excl. Touring and M5	88 / 95	5/H	<b>20-2000</b>	30 mm	
E36 Compact	04.94 / 05	3/CG	<b>20-5000</b>	35 mm	
E36 M3 3.0	10.92 / 10.95	M3B	<b>20-1070</b>	30 mm	
E36 3.2	04.96 / 04.99	M3	<b>20-1070/1</b>	30 mm	
E36 4-cyl. models, all incl. Coupe, Cabrio	91 / 98	3B,C & 3/B/C	<b>20-1050</b>	40 mm	
E36 6-cyl. models, all incl. Coupe, Cabrio	10.91 / 05.92	3B,C & 3/B/C	<b>20-1060/1</b>	40 mm	
E36 6-cyl. models, all incl. Coupe, Cabrio	06.92 / 04.98	E36	<b>20-1060/2</b>	40 mm	
E36 6-cyl. models, all incl. Coupe, Cabrio	06.92 / 04.98	E36	<b>20-1080</b>	<b>60/40 mm</b>	
E36 Touring 4-cyl. models, excl. TDS	95 / 99	3/C	<b>20-1090</b>	35 mm	
E36 Touring 6-cyl. models and TDS	95 / 99	3/C	<b>20-1090/1</b>	35 mm	
E38, 730i	06.94 / 01	7/G	<b>20-3000</b>	40 mm	
E38, 740i	06.94 / 01	7/G	<b>20-3010</b>	40 mm	
E39 excl. Touring	95 / 02	5/D	<b>20-2050</b>	50 mm	
E39, 540i V8, excl. Touring	97 / 02	5/D	<b>20-2051</b>	45 mm	
E46 318, 320, 323, 328, 320D, excl. iX & cabrio	98 / 05	346L, C, R, K	<b>20-1200</b>	35 mm	
E46 318, 320, 323, 328, 320D, excl. iX & cabrio	98 / 05	346L, C, R	<b>20-1210</b>	<b>55/30 mm</b>	
E46 Compact	01 / 05	346K	<b>20-1200</b>	35 mm	
E46 Touring all & cabrio	6.99 / 05	E46	<b>20-1250</b>	35 mm	
E46 M3 incl. Cabrio	00 / 05	346	<b>20-1270</b>	25 mm	
E60 520i, 525i & 530i excl. Touring & Diesel	06.03 / 10	560L	<b>20-2200</b>	30 mm	excl. self-levelling rear axle
E60 530d excl. Touring	06.03 / 10	560L	<b>20-2210</b>	30mm	excl. self-levelling rear axle
E82 1-Coupé 4 cyl. excl. D	07 / 11	182	<b>20-1420</b>	35 mm	2)
E82 1-Coupé 6 cyl. + D	07 / 11	182	<b>20-1400</b>	35 mm	2)
E87 1-Hatchback 4 cyl. excl. D	09.04 / 11	187	<b>20-1420</b>	35 mm	2)
E87 1-Hatchback 6 cyl. + D	09.04 / 11	187	<b>20-1400</b>	35 mm	2)
E90 & 92 4 cyl. excl. D	03.05 / 2012	390L	<b>20-1400</b>	35 mm	2)
E90 & 92 6 cyl. + 4 cyl. D	03.05 / 2012	390L	<b>20-1440</b>	35 mm	2)
E90 & 92 6 cyl. D + 335i	03.05 / 2012	390L	<b>20-1450</b>	35 mm	2)

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
E90X & 92X 4 -6 cyl. & 4 cyl. D excl. 335i	03.05 / 2012	390X	<b>20-1460</b>	35 mm	2)
E90X & 92X 6 cyl. D + 335i	03.05 / 2012	390X	<b>20-1470</b>	35 mm	2)
E91 4 cyl. excl. D	03.05 / 2012	390L	<b>20-1430</b>	35 mm	2)
E91 6 cyl. + 4 cyl. D	03.05 / 2012	390L	<b>20-1445</b>	35 mm	2)
E91 6 cyl. D + 335i	03.05 / 2012	390L	<b>20-1455</b>	35 mm	2)
E91X 4 -6 cyl. & 4 cyl. D excl. 335i	03.05 / 2012	390X	<b>20-1465</b>	35 mm	2)
E91X 6 cyl. D + 335i	03.05 / 2012	390X	<b>20-1475</b>	35 mm	2)
Z3, 4-cyl.Roadster, Coupé, ex. M-techn.	04.96 / -	R/C	<b>20-6000</b>	35 mm	
Z3, 6-cyl.Roadster, Coupé, ex. M-techn.	04.96 / -	R/C	<b>20-6010</b>	35 mm	
Z3 M-Roadster 236 kW	97 / -	MR/C	<b>20-6050</b>	35 mm	

## CADILLAC

BLS	05 / -		<b>60-8210</b>	30 mm	15)Max. front axle load 1000/- kg
-----	--------	--	----------------	-------	-----------------------------------

## CHEVROLET

Aveo (Kalos) hatchb. & sedan	02 / -	KLAS	<b>290-5000</b>	30 mm	
Cavalier 4-6 cyl	95 / -		<b>300-2010</b>	30 mm	
Cobalt	05 / 07		<b>300-3000</b>	30 mm	excl. SS versions
Cruze (Max. FR/RR axle loads 1220/980kg)	05.09 / -	KL1J	<b>60-6300</b>	30 mm	15)
Nubira excl. SW	03 / -	KLAJ	<b>290-6000</b>	35 mm	
Opra (Lacetti) excl. SW	03 / -	KLAN	<b>290-6000</b>	35 mm	
Zafira B 1.6, 1.8	05 / 12	A-H monocab	<b>60-8280</b>	35mm	
Zafira B 2.0T, 2.2, 1.9CDTi	05 / 12	A-H monocab	<b>60-8290</b>	35mm	

## CHEVROLET EUROPE

Kalos (Aveo) hatchb. & sedan	02 / -	KLAS	<b>290-5000</b>	30 mm	
Lacetti excl. SW	03 / -	KLAN	<b>290-6000</b>	35 mm	
Nubira excl. SW	03 / -	KLAJ	<b>290-6000</b>	35 mm	

## CHRYSLER

Neon 2-4 dr.	95 / 98	PL	<b>340-1000</b>	35 mm	
PT Cruiser	00 / -	PT	<b>340-3000</b>	35 mm	

## CITROËN

AX	12.86 / 12.98	ZA	<b>160-1000</b>	35 mm	
AX GT - GTi	91 / 98	ZA	<b>160-1010</b>	35 mm	
C1	05 / -	P	<b>70-4200</b>	35 mm	
C2 1.1	03 / -	J	<b>160-4020</b>	35 mm	
C2 1.4 all & GT	03 / -	J	<b>160-4010</b>	35 mm	less lowering on VTR
C2 1.6 Sensodrive	03 / -	J	<b>160-4000</b>	15 mm	
C3 1.1, 1.4, 1.4HDi-8V	05.02 / 11.09	F	<b>160-4010</b>	35 mm	
C3 1.6 all, 1.4 Auto, 1.4HDi-16V	05.02 / 11.09	F	<b>160-4000</b>	35 mm	
C3 Pluriel 1.4	06.03 / -	H	<b>160-4080</b>	35 mm	
C3 Pluriel 1.6 Sensodrive	06.03 / -	H	<b>160-4090</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
C4 1.4 - 2.0 16V, 1.6 HDi Lim & Coupé	11.04 / 10.10	L	<b>160-5000</b>	35 mm	
C4 2.0 HDi Lim & Coupé	11.04 / 10.10	L	<b>160-5010</b>	35 mm	
Picasso	02.00 / 2006	C	<b>160-3000</b>	35 mm	
Saxo incl. VTS	05.96 / 10.03	S	<b>70-4000</b>	35 mm	14)
Xsara, incl. Coupe and VTS	97 / -	N6	<b>160-3000</b>	35 mm	less lowering on VTS
ZX	09.91 / 06.97	N2	<b>160-2000</b>	35 mm	
ZX 1.9, 2.0, 16V Volcane	09.91 / 06.97	N2	<b>160-2010</b>	35 mm	

## DACIA

Logan all excl. MCV	04 / -	SD	<b>155-1000</b>	45 mm	
Sandero all	08 / -	SD	<b>155-1000</b>	45 mm	

## DAEWOO

Espero	95 / -	KLEJ	<b>290-1000</b>	35 mm	
Kalos (Aveo) hatchb. & sedan	02 / -	KLAS	<b>290-5000</b>	30 mm	
Lacetti excl. SW	03 / -	KLAN	<b>290-6000</b>	35 mm	
Nubira excl. SW	03 / -	KLAJ	<b>290-6000</b>	35 mm	

## DAIHATSU

Charade	89 / 93	G100	<b>190-1000</b>	40 mm	
Materia 2WD	07 / -	M4	<b>190-4000</b>	30 mm	

## FIAT

500 1.2	07 / 11.09	312	<b>30-5220</b>	30 mm	
500 1.2	11.09 / -	312	<b>30-5220/1</b>	30 mm	
500 1.4 & Twinair	07 / -	312	<b>30-5200</b>	30 mm	
500 1.3 JTD	07 / -	312	<b>30-5210</b>	30 mm	
500 Abarth	08 / -	312	<b>30-5230</b>	25 mm	
Bravo / Brava 1.2 -1.6	95 / 03	182	<b>30-9000</b>	35 mm	
Bravo / Brava 1.8 - 2.0 & D	95 / 03	182	<b>30-9010</b>	30 mm	
Bravo 1.4 & Turbo	07 / -	198	<b>30-9200</b>	25 mm	Excl. Sport suspension
Bravo 1.6 JTD 1.9 JTD 2.0 JTD	07 / -	198	<b>30-9210</b>	25 mm	Excl. Sport suspension
Bravo 1.4 & Turbo Sport suspension	07 / -	198	<b>30-9205</b>	20 mm	
Bravo 1.6 JTD 1.9 JTD 2.0 JTD Sport suspension	07 / -	198	<b>30-9215</b>	20 mm	
Cinquecento	10.92 / 03.98	170	<b>30-5000</b>	40 mm	
Cinquecento Sporting	10.92 / 03.98	170	<b>30-5010</b>	30 mm	
Coupe 2.0-16V Turbo	94 / 00	175	<b>30-7000</b>	35 mm	
Coupe 1.8-16V, 2.0-16V, 2.0-20V Turbo	94 / 00	175	<b>30-7010</b>	30 mm	
Croma	86 / 05	164	<b>30-2000</b>	35 mm	
Croma 1.8, 2.2	05 / -	194	<b>30-2200</b>	35 mm	
Croma 1.9 JTD	05 / -	194	<b>30-2210</b>	35 mm	
Croma 2.4 JTD	05 / -	194	<b>30-2220</b>	35 mm	
Panda (excl. 4WD)	09.03 / -	169	<b>30-12200</b>	30 mm	15)Max axle loads fr/r 730/660kg
Punto	93 / 9.99	176	<b>30-6000</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Punto GT	93 / 9.99	176	<b>30-6010</b>	35 mm	
Punto 1.2 (8 & 16V)	10.99 / 03	188	<b>30-6020</b>	35 mm	less lowering on 8V models
Punto 1.8 HGT & JTd	10.99 / 03	188	<b>30-6030</b>	35 mm	
Punto 1.8 HGT & JTd	10.99 / 03	188	<b>30-6040</b>	<b>60/40 mm</b>	
Punto 1.2, 1.4 & 1.3 Multi-jet	03 / 05	188	<b>30-6020/1</b>	35 mm	less lowering on 8V models
Punto (Grande Punto) 1.2 & 1.4	05 / -	199	<b>30-6200</b>	35 mm	
Punto (Grande Punto) diesel 1.3	05 / -	199	<b>30-6210</b>	35 mm	
Punto (Grande Punto) diesel 1.9	05 / -	199	<b>30-6220</b>	35 mm	
Seicento	03.98 / -	187	<b>30-5000</b>	30 mm	
Seicento Sporting	03.98 / -	187	<b>30-5010</b>	30 mm	
Stilo 1.2 16V	01 / -	192	<b>30-3520</b>	30 mm	
Stilo 1.6 all, excl. Dynamic 5-door	01 / -	192	<b>30-3500</b>	30 mm	
Stilo 1.8, 1.6 Dynamic 5-door	01 / -	192	<b>30-3510</b>	30 mm	
Stilo 1.9 JTd & Abarth	02 / -	192	<b>30-3550</b>	30 mm	
Stilo SW 1.6	02 / -	192	<b>30-3530</b>	30 mm	
Stilo SW 1.8	02 / -	192	<b>30-3540</b>	30 mm	
Stilo SW 1.9 JTd	02 / -	192	<b>30-3560</b>	30 mm	
Uno Turbo	85 / 93	146	<b>30-1000</b>	35 mm	
Uno Turbo	85 / 93	146	<b>30-1010</b>	60 mm	1)

## FORD

Cougar 4-cyl	98 / 8.00	BCV	<b>40-9000</b>	35 mm	
Cougar 6-cyl	98 / 8.00	BCV	<b>40-9010</b>	35 mm	
Escort III / IV	09.80 / 90	G/A	<b>40-1070</b>	<b>60 mm</b>	less lowering on XR3i
Escort / Orion	80 / 90	A	<b>40-1000</b>	30 mm	
Escort IV 1.6 RS Turbo	86 / 90		<b>40-1011</b>	30 mm	
Escort V Hatchback excl. RS2000	90 / 01.95	GAL,ALL	<b>40-1010</b>	30 mm	
Escort V Cabrio	90 / 01.95	ALL	<b>40-1020</b>	30 mm	
Escort V RS 2000	92 / 95	GAL	<b>40-1030</b>	30 mm	
Escort VI incl. Cabrio see note	02.95 / 02.99	G/A	<b>40-1040</b>	40 mm	types GAL, ALL,AAL, ABL,AFL
Escort VI RS2000 2wd	02.95 / 02.99	G/A	<b>40-1040</b>	15 mm	
Fiesta all, excl. 16V (Mk 3)	03.89 / 01.94	GFJ	<b>40-4016</b>	<b>60 mm</b>	less lowering on XR2
Fiesta C ST150 & Sport	04.02 / -	JH/JD	<b>40-4210</b>	35 mm	
Fiesta C all, excl. TDCi & Fusion (Mk 7)	04.02 / 09.08	JH/JD	<b>40-4200</b>	35 mm	
Fiesta C TDCi (Mk 7)	04.02 / 09.08	JH/JD	<b>40-4210</b>	35 mm	
Fiesta all, excl. 16V (Mk 3)	03.89 / 01.94	GFJ	<b>40-4000</b>	35 mm	less lowering on XR2
Fiesta excl. Diesel (Mk 4 / 5)	02.94 / 09.99	JAS	<b>40-4010</b>	30 mm	cylindrical rear spring
Fiesta excl. Diesel (Mk 4 / 5)	02.94 / 09.99	JAS	<b>40-4012</b>	<b>60 mm</b>	cylindrical rear spring
Fiesta (Mk 6) all, excl. Diesel	01.00 / 11.01	JBS	<b>40-4010/1</b>	30 mm	
Fiesta (Mk 6) all, excl. Diesel	01.00 / 11.01	JBS	<b>40-4012/1</b>	<b>60 mm</b>	
Fiesta all	09.08 / -	JA8	<b>40-4300</b>	35 mm	
Focus Hatchback and Sedan 1.4-1.8	98 / 10.04	DAW/DBW/DFW	<b>40-8000</b>	30 mm	
Focus Sed. & Hb. 2.0 & TD excl. RS & ST 170	98 / 10.04	DAW/DBW/DFW	<b>40-8010</b>	30 mm	
Focus ST170	02 / 05	DB1/DA1	<b>40-8040</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Focus Wagon 1.4 - 1.8	98 / 12.04	DNW	<b>40-8020</b>	30 mm	
Focus Wagon 2.0 and TD	98 / 12.04	DNW	<b>40-8030</b>	30 mm	
Focus Hatchb. and Sedan 1.4, 1.6	05 / 03.11	DA3/DB3	<b>40-8200</b>	35 mm	
Focus Hatchb. and Sedan 1.8, 2.0, TDCi all	05 / 03.11	DA3/DB3	<b>40-8210</b>	35 mm	
Focus ST	10.05 / 03.11	DA3/DB3	<b>40-8220</b>	20 mm	
Galaxy	97 / -	WGR	<b>80-8000</b>	25 mm	
Ka	96 / 12.99	RBT	<b>40-2000</b>	35 mm	cylindrical rear spring
Ka (excl. StreetKa)	01.00 / 11.08	RBT	<b>40-2000/1</b>	35 mm	
Mondeo Sedan / Hatchback 1,6-2,0	93 / 10.96	GBP	<b>40-7000</b>	40 mm	
Mondeo Sedan / Hatchback 4-cyl	10.96 / 01	BFP, BAP	<b>40-7011</b>	30 mm	
Mondeo Sedan / Hatchback 6-cyl. and D	10.96 / 01	BFP, BAP	<b>40-7012</b>	30 mm	
Mondeo Sedan / Hatchback 4-cyl	01 / 07	B4Y,B5Y	<b>40-7200</b>	30 mm	
Mondeo Sedan / Hatchback V6 and D	01 / 07	B4Y,B5Y	<b>40-7210</b>	30 mm	
Mondeo Wagon 4-cyl	01 / 07	B4Y,B5Y	<b>40-7220</b>	30 mm	2)
Mondeo Wagon V6 and D	01 / 07	B4Y,B5Y	<b>40-7230</b>	30 mm	2)
Mondeo Sedan 1.6 & 2.0	06.07 / -	BA7	<b>40-7400</b>	40 mm	
Mondeo Sedan 2.3, 2.5 & TDCi all	06.07 / -	BA7	<b>40-7410</b>	40 mm	
Orion	90 / 01.95	GAL,ALL	<b>40-1010</b>	30 mm	
Probe GT V6 24V	93 / -	ECP, T22	<b>40-6010</b>	30 mm	
Puma	97 / -	ETC	<b>40-2010</b>	35 mm	
Sierra	84 / -	GBC-GBG	<b>40-3000</b>	35 mm	less lowering on XR4i
Sierra Cosworth	86 / -	GBC	<b>40-3000/1</b>	25 mm	

## FORD USA

Mustang Coupe, 6 + 8 cyl	05 / -	S197	<b>41-2000</b>	30 mm	
--------------------------	--------	------	----------------	-------	--

## HONDA

Accord Type R	98 / 03	CH1	<b>180-2025</b>	30 mm	
Accord	89 / 98	CB3-7, CC1-7	<b>180-2010</b>	40 mm	
Accord	94 / 02	CD	<b>180-2020</b>	30 mm	
Accord (US-Asia type)	97 / 02		<b>180-2050US</b>	35 mm	
Accord Sedan, 4 cyl. models	01.03 / 05.08	CL7, CL 9	<b>180-2200</b>	35 mm	
Accord Sedan, 6 cyl.	01.03 / 05.08		<b>180-2210</b>	35 mm	
Accord Touring, 4 cyl. models	04.03 / 05.08		<b>180-2230</b>	35 mm	
Accord Touring, 6 cyl.	04.03 / 05.08		<b>180-2240</b>	35 mm	
City	00 / -		<b>180-6000</b>	35 mm	
Civic incl. CRX, excl. VTEC models	11.87 / 10.91	EC8-9, ED2-9	<b>180-1000</b>	40 mm	
Civic CRX -VTEC	08.90 / 10.91	EE8, EE9	<b>180-1010</b>	40 mm	
Civic all incl. Coupe	10.91 / 10.95	EG, EH, EJ,MB,MC	<b>180-3000</b>	40 mm	EG 2-9,EH6&9, EJ1&2 MA8&9, I B1-6
Civic all incl. Coupe , <i>reinforced</i>	10.91 / 10.95	EG, EH, EJ	<b>180-3000RF</b>	35 mm	
Civic 3-drs and Coupe, incl. VTi	10.95 /10.99	EJ, EK	<b>180-3030</b>	40 mm	
Civic 3-drs and Coupe, incl. VTi, <i>reinforced</i>	10.95 /10.99	EJ, EK	<b>180-3030RF</b>	35 mm	
Civic 5-drs ( UK build ).	10.95 / 03.01	M-series	<b>180-3031</b>	40 mm	
Civic 3-drs and Coupe, incl. VTi, <i>reinforced</i>	10.99 / 03.01	EJ, EK	<b>180-3030RF</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Civic all, excl. Type-R, Stream & TD	03.01 / 06	ES4-8,EU7-8,EP1-2	<b>180-4000</b>	35 mm	Less lowering on cars with sport suspension
Civic Type-R	10.01 / 06	EP3	<b>180-4010</b>	30 mm	
Civic 1.4 - 2.0 Hatchback	06 / -	FD1, FK1/2/3	<b>180-4200</b>	30 mm	
Civic 2.2 i-CTDi Hatchback	06 / -	FD1, FK1/2/3	<b>180-4210</b>	30 mm	
Civic 1.8 - 2.0 Sedan	06 / -	FD1	<b>180-4250</b>	30 mm	
Civic Type-R	03.07 / -	FN2	<b>180-4220</b>	25 mm	
CRV II 4WD	08.02 / -	RD5	<b>180-7000</b>	30 mm	
Integra R 1.8-16V	03.98 / -	DC/EP3	<b>180-3030/1</b>	30 mm	
Jazz 1.4 all	03 / 07	GD 1	<b>180-8000</b>	35 mm	
Jazz	10/07-	GE 8	<b>180-8200</b>	25 mm	
Prelude	04.92 / 01.97	BB1-3	<b>180-5000</b>	35 mm	
Prelude	02.97 / -	BB6-9	<b>180-5000</b>	35 mm	
S2000	06.99 / 2003	AP1	<b>180-6500</b>	30 mm	

## HYUNDAI

Accent	07.06 / -	MC	<b>310-3200</b>	35 mm	
Accent, Excel	97 / 00	X3	<b>210-4010</b>	35 mm	
Accent 1.5i	00 / -	LC	<b>210-4020</b>	35 mm	
Atos	04.98 / -	MX	<b>210-5000</b>	30 mm	
Coupe 1.6, 1.8 & 2.0 (all 16V)	09.96 / 10.01	RD	<b>210-3000</b>	35 mm	
Coupe 2.0 16V & 2.7 V6	11.01 / -	GK	<b>210-3010</b>	35 mm	
Elantra	00 / -	XD	<b>210-2200</b>	35 mm	
Getz	02 / -	TB	<b>210-6000</b>	30 mm	
i30 excl. stationwagen	06.07 / -	FD	<b>210-4200</b>	30 mm	
Matrix	09.01 / -	FC	<b>210-2250</b>	30 mm	
S Coupé	90 / -	SLC	<b>210-1000</b>	35 mm	

## ISUZU

Dmax			<b>360-1000</b>	30 mm	
------	--	--	-----------------	-------	--

## KIA

Cee'd excl. stationwagen	01.07 / -	ED	<b>210-4200</b>	30 mm	
Cee'd Sporty Wagon	01.07 / -	ED	<b>210-4230</b>	30 mm	
Cerato	06.04 / -	FE	<b>310-4000</b>	35 mm	
Picanto	11.03 / 04.11	BA	<b>210-6000</b>	30 mm	
Rio MK I	08.00 / 07.05	DC	<b>310-3000</b>	35 mm	
Rio Mk II	08.05 / 08.11	JB DE	<b>310-3200</b>	35 mm	
Soul	02.09 / -	AM	<b>310-5000</b>	30 mm	

## LANCIA

Dedra	01.98 / 07.99	835	<b>90-4010</b>	35 mm	
Delta Petrol Engines	11.08 / -	844	<b>90-2200</b>	30 mm	
Delta Diesel Engines	11.08 / -	844	<b>90-2210</b>	30 mm	
Ypsilon	01.96 / 09.03	840A	<b>90-3010</b>	30 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Ypsilon	09.03 / -	843	<b>90-3200</b>	35 mm	
<b>LEXUS</b>					
IS 200	04.99 / -	GXE10	<b>175-3000</b>	35 mm	
<b>MAZDA</b>					
121	88 / 91	DA	<b>100-6000</b>	30 mm	
2	10.02 / 09.07	DY	<b>100-9200</b>	35 mm	
2	09.07 / -	DE	<b>100-9300</b>	40 mm	
3 1.6, 1.6 Auto & 2.0	10.03 / 04.09	BK	<b>100-2200</b>	30 mm	
3 1.6 CiTD	10.03 / 04.09	BK	<b>100-2210</b>	30 mm	
323, Familia, Astina	90 / 94	BG	<b>100-2000</b>	35 mm	
323 F, Lantis	90 / 94	F	<b>100-2000F</b>	35 mm	
323, Familia, Astina	94 / 98	BA	<b>100-2010F</b>	40 mm	
323	98 / -	BJ	<b>100-2020</b>	40 mm	
323 F, Sportbreak	98 / -	BJ	<b>100-2030</b>	40 mm	
6 Sedan all	06.02 / 08.07	GG	<b>100-1200</b>	35 mm	
6 Estate all	08.02 / 08.07	GY	<b>100-1230</b>	35 mm	
626	92 / 97	GE	<b>100-1020</b>	35 mm	
626 4-cyl (excl. Station)	97 / 02	GF	<b>100-1020</b>	35 mm	
MX3	91 / -	EC	<b>100-3000</b>	30 mm	
MX5	90 / 98	NA	<b>100-4000</b>	30 mm	
MX5	04.98 / 05	NB	<b>100-4010</b>	30 mm	
MX5	09.05 / -	NC1	<b>100-4020</b>	40 mm	
RX7 Turbo, GTU	86 / 92	FC	<b>100-8000</b>	30 mm	
RX8	03 / -	SE	<b>100-8200</b>	30 mm	
<b>MERCEDES</b>					
190, 190E, 190D, 190D- 2.5, 190E-2.3	83 / 92	W 201	<b>50-1000</b>	30 mm	4)
200, 200 D, 230 E	85 / 96	W 124	<b>50-2000</b>	30 mm	4)
250D, 260 E, 300D, 300E	85 / 96	W 124	<b>50-2010</b>	30 mm	4)
B-Class petrol models	06.05 / -	245	<b>50-1500</b>	30 mm	
B-Class diesel models < 985kg	06.05 / -	245	<b>50-1510</b>	30 mm	
C-Class, all excl. Kombi & 4-Matic	00 / 07	W 203	<b>50-6030</b>	40 mm	
C-Class, all excl. Kombi & 4-Matic	03.07 / -	W 204	<b>50-6200</b>	45 mm	
C-Class 4-cyl. all	93 / 95	W 202	<b>50-6000</b>	30 mm	
C-Class 5-6 cyl.	93 / 95	W 202	<b>50-6010</b>	30 mm	
C-Class 4-cyl. all, excl. T-model	96 / 00	W 202	<b>50-6000/1</b>	30 mm	
C-Class 5-6 cyl. excl. T-model	96 / 00	W 202	<b>50-6010/1</b>	30 mm	
CLK coupe 4-cyl.	96 / 04.02	C 208	<b>50-6000/1</b>	30 mm	
CLK coupe 5-6 cyl.	96 / 04.02	C 208	<b>50-6010/1</b>	30 mm	
CLK cabriolet 5-6 cyl.	96 / 04.02	C 208	<b>50-6025</b>	30 mm	
CLK 200, 240 & 320	04.02 / -	C 209	<b>50-6030</b>	35 mm	
E-Class 4-5 cyl all, incl. T(D)	95 / 02	W 210	<b>50-8000</b>	35 mm	2) 4)

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
E-Class 6-8cyl all, incl. T(D)	95 / 02	W 210	<b>50-8010</b>	35 mm	2) 4)
S-Class 6 cyl.	79 / 91	W126/126C	<b>50-3000</b>	35 mm	4)
SLK	96 / 03.04	R 170	<b>50-11000</b>	35 mm	

## MINI

Mini One	04.02 / 07	R50	<b>25-2000</b>	30 mm	
Mini Cooper & Cooper "S"	04.02 / 07	R50	<b>25-2000/1</b>	30 mm	
Mini all excl. Clubman / Countryman	03.07 / -	N / R56	<b>25-2200</b>	30 mm	

## MITSUBISHI

3000GT VR4 (incl.turbo), Dodge Stealth	91 / 94	Z10	<b>260-7000</b>	30 mm	
Carisma 1.8 models	95 / 06.99	DA0	<b>260-4000</b>	35 mm	
Carisma model 2000 on	07.99 / -	DA0	<b>260-4010</b>	35 mm	
Colt all, excl. GTi	92 / 05.96	CA0	<b>260-2000</b>	40 mm	
Colt 1.8 GTi	92 / 05.96	CA5A	<b>260-2010</b>	40 mm	
Colt V / Lancer	05.96 / -	CJ0	<b>260-2050</b>	40 mm	
Colt 1.1 - 1.5	04.04 / -	C30	<b>260-2400</b>	30 mm	
Colt 1.5 turbo & D	04.04 / -	C30	<b>260-2410</b>	30 mm	
FTO 1.8 - 2.0	91 / 98		<b>260-7050</b>	45 mm	
Galant V6 excl. Combi	99 / -	EA0	<b>260-1010</b>	40 mm	
Lancer EVO I, II & III, CC GSR 4WD Turbo	92 / 97	CA0	<b>260-2040</b>	40 mm	
Lancer EVO IV, V & VI	8.96 / 00	CN9A, CP9A	<b>260-2060</b>	35 mm	
Lancer EVO VII & VIII	01 / -	CT9A	<b>260-2080</b>	40 mm	
Lancer Sedan	04 / 08	CS0	<b>260-2220</b>	35 mm	
Lancer Cedia	02 / -	CS3	<b>260-2200</b>	30 mm	

## NISSAN

100NX	91 / -	B13	<b>110-5000</b>	30 mm	
200 SX	89 / 94	S13	<b>110-3000</b>	30 mm	
200 SX	94 / -	S14	<b>110-7000</b>	30 mm	
350 Z	09.03 / -	Z33	<b>110-7200</b>	30 mm	
Almera 1.4	95 / 10.97	N15	<b>110-8010</b>	35 mm	
Almera	10.97 / 02.00	N15	<b>110-8030</b>	35 mm	Rear spring inner dia.79mm!
Almera	10.97 / 02.00	N15	<b>110-8030/1</b>	35 mm	Rear spring inner dia. 69mm!
Almera all, excl. TD.	02.00 / -	N16	<b>110-8020</b>	35 mm	Rear spring inner dia. 79mm!
Almera TD	02.00 / -	N16	<b>110-8022</b>	35 mm	Rear spring inner dia. 79mm!
Almera all, excl. TD.	02.00 / -	N16	<b>110-8020/1</b>	35 mm	Rear spring inner dia. 69mm!
Almera TD	02.00 / -	N16	<b>110-8022/1</b>	35 mm	Rear spring inner dia. 69mm!
Cefiro		A31	<b>110-4000</b>	35 mm	
Maxima	95 / 01.99	A32	<b>110-4010</b>	30 mm	
Micra	92 / 03	K11	<b>110-6010</b>	30 mm	
Micra all, excl. 1.0	03 / 10	K12	<b>110-6200</b>	30 mm	
Micra / March	2010 / -	K13	<b>110-6300</b>	30 mm	
Primera all, excl. Diesel	96 / 02	P11	<b>110-2050</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Primera Sedan 1.6, 1.8 & 2.0	02 / -	P12	<b>110-2200</b>	35 mm	
Primera Sedan 2.2 Diesel	02 / -	P12	<b>110-2210</b>	35 mm	
Primera Station 1.6, 1.8 & 2.0	02 / -	W12	<b>110-2230</b>	35 mm	
Primera Station 2.2 Diesel	02 / -	W12	<b>110-2240</b>	35 mm	
Sunny	89 / 91	N13	<b>110-1000</b>	30 mm	
Sunny	91 / 95	N14	<b>110-1010</b>	35 mm	
Tiida 1.6 - 1.8	06 / -	C11	<b>110-8200</b>	30 mm	

## OPEL

Ascona B L, L - SR, SR, Berlina	75 / 81	B	<b>60-1000</b>	40 mm	
Ascona B L, L - SR, SR, Berlina	75 / 81	B	<b>60-4000</b>	60 mm	1)
Ascona C C & CC	81 / 88	C	<b>60-7000</b>	30 mm	
Astra F /F-CC/ Cabrio 1.4 - 2.0 8V	91 / 98	F	<b>60-11100</b>	40 mm	
Astra F /F-CC 2.0, excl. Cabrio	91 / 98	F	<b>60-11200</b>	40 mm	
Astra F Caravan 1.6 - 1.8	91 / 98	F	<b>60-11300</b>	40 mm	2)
Astra G Lim. & hatchback 1.4 -1.6	98 / 04	T98	<b>60-11500</b>	35 mm	
Astra G Lim. & hatchback all excl. 1.4 - 1.6	98 / 04	T98	<b>60-11510</b>	35 mm	less lowering on OPC
Astra G Coupé all	00 / 04	T98	<b>60-11510</b>	40 mm	
Astra G Caravan all excl. 1.6	98 / 04	T98 kombi	<b>60-11610</b>	35 mm	less lowering on OPC
Astra H 1.4-1.8 & 1.3D	03.04 / 11.09	A-H	<b>60-6200</b>	35 mm	
Astra H 2.0 turbo & 1.7-1.9D	03.04 / 11.09	A-H	<b>60-6210</b>	35 mm	
Astra H Caravan 1.4-1.8 & 1.3D	10.04 / -	A-H/SW	<b>60-6230</b>	35 mm	
Astra H Caravan 2.0 turbo & 1.7-1.9D	10.04 / -	A-H/SW	<b>60-6240</b>	35 mm	
Astra H GTC/OPC 1.4-1.8 & 1.3D	03.04 / -	A-H/C	<b>60-6200</b>	25 mm	
Astra H GTC/OPC 2.0 turbo & 1.7-1.9D	03.04 / -	A-H/C	<b>60-6210</b>	25 mm	
Astra H TwinTop 1.6-1.8	04.06 / -	A-H/C	<b>60-6250</b>	35 mm	
Astra H TwinTop 2.0 & 1.9 D	04.06 / -	A-H/C	<b>60-6260</b>	35 mm	
Calibra all, excl. V6 & Turbo 4WD	90 / 07.97	A	<b>60-8010</b>	30 mm	
Calibra 4x4	92 / -	A	<b>60-8030</b>	30 mm	
Corsa A	83 / 93	A	<b>60-9000</b>	40 mm	
Corsa A	83 / 93	A	<b>60-9010</b>	60 mm	1)
Corsa B all	93 / 00	B	<b>60-9020</b>	40 mm	
Corsa B & Tigra A	93 / 00	B, S93	<b>60-9030</b>	60/40 mm	1)
Corsa C, all	00 / -	C	<b>60-9050</b>	40 mm	less lowering on OPC
Corsa D 1.0, 1.2 & 1.4	06 / -	S-D	<b>60-15000</b>	40 mm	
Corsa D 1.3D & 1.7D	06 / -	S-D	<b>60-15010</b>	40 mm	
Insignia Sedan (Max front axle load -/1160kg)	11.08 / -	0G-A	<b>60-8300</b>	25 mm	2WD only!
Insignia Sedan (Max front axle load 1161kg/-)	11.08 / -	0G-A	<b>60-8310</b>	25 mm	2WD only!
Insignia Sports Tourer (max front axle load -/1160kg)	11.08 / -	0G-A	<b>60-8320</b>	25 mm	2WD only!
Insignia Sports Tourer (max front axle load 1161kg/-)	11.08 / -	0G-A	<b>60-8330</b>	25 mm	2WD only!
Kadett, Excl Caravan & Cabrio	84 / 92	E, E-CC	<b>60-2000KF</b>	60/40	1), Max axle loads FR/RR 0/685KG
Kadett E-CC LS, GL, GLS, GT	84 / 91	E	<b>60-2000</b>	30 mm	
Kadett E,E-CCE LS, GSI, Sprint > 85 kW	84 / 91	E	<b>60-2010</b>	30 mm	
Manta B	75 / 81	B	<b>60-1000</b>	40 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Manta B	75 / 81	B	<b>60-4000</b>	60 mm	
Omega B 4 cyl. lim. excl. 2.2 D	04.94 / 05.00	V94	<b>60-3000</b>	40 mm	15)Max. front axle load 1000kg.
Omega B 6 cyl. lim.	04.94 / 05.00	V94	<b>60-3010</b>	40 mm	15)Max. front axle load 1080kg.
Omega B Caravan excl. 2.2 D	04.94 / 05.00	V94 kombi	<b>60-3000/CAR</b>	40 mm	15)Max. front axle load 1000kg.
Omega B 6 cyl. Caravan	04.94 / 05.00	V94 kombi	<b>60-3010/CAR</b>	40 mm	15)Max. front axle load 1080kg.
Tigra A	94 / 00	S93 coupé	<b>60-12000</b>	30 mm	
Tigra A	94 / 00	S93 coupé	<b>60-9031</b>	<b>60/40 mm</b>	1)
Tigra TT	04 / -	B	<b>60-9070</b>	40 mm	
Vectra A excl. 2000 & V6	88 / 95	A, A-CC	<b>60-8000</b>	35 mm	
Vectra A 2000 excl. 4 x 4	89 / 95	A	<b>60-8020</b>	30 mm	
Vectra B Sedan & HB 1.6, 1.8 excl. 1.8 Auto	95 / -	J96	<b>60-8050</b>	35 mm	
Vectra B Sedan & HB 1.8 Auto,DTi 2.2	95 / -	J96	<b>60-8051</b>	35 mm	
Vectra B <b>Caravan</b> 1.6, 1.8 excl. 1.8 Auto	95 / -	J96 kombi	<b>60-8050/2CAR</b>	35 mm	
Vectra B <b>Caravan</b> 1.8 Auto, DTi 2.2	95 / -	J96 kombi	<b>60-8051/2CAR</b>	35 mm	
Vectra C sedan	02 / -	Z-C	<b>60-8200</b>	35 mm	15)Max. front axle load -/1000kg
Vectra C sedan	02 / -	Z-C	<b>60-8210</b>	35 mm	15)Max. front axle load 1000/- kg
Zafira A all excl. 2.2i auto, 2.0DTi	01.99 / 05	T98 monocab	<b>60-11700</b>	30 mm	less lowering on OPC
Zafira A 2.2i auto, 2.0DTi, 2.2DTI	01.99 / 05	T98 monocab	<b>60-11720</b>	30 mm	
Zafira B 1.6, 1.8	05 / 12	A-H monocab	<b>60-8280</b>	35 mm	
Zafira B 2.0T, 2.2, 1.9CDTi	05 / 12	A-H monocab	<b>60-8290</b>	35 mm	

## PEUGEOT

106	09.91 / 04.96	1C,H,K,N,V	<b>70-4000</b>	30 mm	14)
106 Rallye 1.3	09.91 / 04.96	1A, 1C	<b>70-4010</b>	30 mm	14)
106 Rallye 1.6	04.96 / -	1NFX	<b>70-4000</b>	30 mm	14)
107	05 / -	P	<b>70-4200</b>	35 mm	
205 all, excl. GTi , CTi and Diesel	83 / 10.87	741 A/G	<b>70-1000</b>	30 mm	
205 GTi, CTi and Rallye	02.84 / 10.98	20 C/D	<b>70-1010</b>	30 mm	
205	83 / 09.98	20 C/D	<b>70-1020</b>	50 mm	1)
206 Hatchback all, excl. HDi-2.0	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	incl. RC model
206 Hatchback HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
206 SW all, excl. HDi-2.0	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	incl. RC model
206 SW HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
206 Hatchback and SW all, excl. 2.0-HDi	06.99 / -	2C..2A	<b>70-1060</b>	<b>60 mm</b>	
206 Hatchback and SW 2.0-HDi	06.99 / -	2C..2A	<b>70-1050</b>	<b>60 mm</b>	
206 CC-1.6	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	
206 CC-2.0 and HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
207 Hatchback 1.4 16V	04.06 / -	W*****	<b>70-1200</b>	35 mm	
207 Hatchback 1.6 16V & 1.6 HDI	04.06 / -	W*****	<b>70-1210</b>	35 mm	
207 SW & CC 1.4	07 / -	W*****	<b>70-1230</b>	30 mm	
207 SW & CC 1.6 & Diesel Engines	07 / -	W*****	<b>70-1240</b>	30 mm	
306 all, excl. Xsi, Gti, Diesel	93 / 03	7,7A,7D	<b>70-6000</b>	30 mm	
306 (t)D, Xsi, Gti, excl. 6-sp gearbox	93 / 03	7A	<b>70-6010</b>	30 mm	
307 Hatchback 1.6	03.01 / -	3....	<b>70-6200</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
307 Hatchback 1.6	03.01 / -	3....	<b>70-6260</b>	<b>60/40 mm</b>	
307 Hatchback 2.0-16V & 2.0 Hdi	03.01 / -	3....	<b>70-6210</b>	35 mm	
307 Hatchback 2.0-16V & 2.0 Hdi	03.01 / -	3....	<b>70-6265</b>	<b>60/40 mm</b>	
307 CC 1.6	03 / -	3....	<b>70-6230</b>	35 mm	
307 CC 2.0-16V	08.05 / -	3....	<b>70-6240</b>	35 mm	
307 SW and Break 1.6	03.01 / -	3....	<b>70-6230</b>	35 mm	
307 SW and Break 1.6	03.01 / -	3....	<b>70-6270</b>	<b>60/40 mm</b>	
307 SW and Break 2.0-16V & 2.0 Hdi	03.01 / -	3....	<b>70-6240</b>	35 mm	
307 SW and Break 2.0-16V & 2.0 Hdi	03-01 / -	3....	<b>70-6275</b>	<b>60/40 mm</b>	
309 GTi	01.87 / 02.93	3C	<b>70-5010</b>	35 mm	
405	09.87 / 09.95	15B, 15E	<b>70-3000</b>	30 mm	
405 Mi-16, D, TD	09.87 / 09.95	15B, 15E	<b>70-3020</b>	30 mm	
406 Sedan 1.6-1.8	96 / -	F....	<b>70-7000</b>	35 mm	
406 Sedan 2,0, 2,2 TD, HDi	96 / -	F....	<b>70-7010</b>	35 mm	
406 Break all	97 / -	F....	<b>70-7020</b>	35 mm	
406 Coupe 4-cyl	97 / -	8RFV	<b>70-7030</b>	30 mm	
406 Coupe V6	97 / -	8XFZ	<b>70-7031</b>	30 mm	

## RENAULT

19 all, up to 85KW	89 / 96	B,C & D53	<b>150-2000</b>	30 mm	
19 from 85KW, ex 16V	89 / 96	B,C & D53	<b>150-2010</b>	30 mm	
19 16V	89 / 96	X, B,C & D53	<b>150-2020</b>	25 mm	
Clio I all, excl. 16V	01.91 / 09.98	B & C 57	<b>150-4000</b>	40 mm	
Clio I 16V, Williams	01.91 / 09.98	B & C 57	<b>150-4010</b>	30 mm	
Clio I 16V, Williams	01.91 / 09.98	B & C 57	<b>150-4020</b>	<b>50 mm</b>	1)
Clio II all, excl. 2.0 Sport and V6.	09.98 / 05	BB0-2,CB0-2 SB0	<b>150-4050</b>	40 mm	Coil spring rear axle
Clio II 2.0 Sport	99 / 05	BB0-2,CB0-2 SB0	<b>150-4051</b>	40 mm	
Clio II 1.2, 1.4 and 1.6	09.98 / 05	BB0-2,CB0-2 SB0	<b>150-4060</b>	<b>60/40 mm</b>	
Clio C 1.2	05 / 05.09	BR0/CR0	<b>150-4200</b>	35 mm	(excl. '09/- facelift models)
Clio C 1.4, 1.6, 1.5DCi	05 / 05.09	BR0/CR0	<b>150-4210</b>	35 mm	(excl. '09/- facelift models)
Clio C RS 2.0 Sport	06 / 09	BR0/CR0	<b>150-4250</b>	30 mm	(excl. '09/- facelift models)
Laguna I 1,8 - 2,0	93 / 01	B56 & K56	<b>150-6000</b>	35 mm	
Laguna I 3,0 - 2,2 Diesel	93 / 01	B56 & K56	<b>150-6010</b>	35 mm	
Laguna II Sedan 1,6 - 2,0 and 1.9dCi	01 / 08	BGO	<b>150-6200</b>	35 mm	Less lowering on 2005/- models
Laguna II Grand Tour 1.6-2.0 & 1.9dCi	01 / 08	KGO	<b>150-6230</b>	35 mm	Less lowering on 2005/- models
Mégane all, incl. Scenic & Cabrio (see note)	95 / 03	B,D,L,E,K & JA	<b>150-7000</b>	30 mm	15)Max. FR axle load -/880kg
Mégane all, incl. Scenic & Cabrio (see note)	95 / 03	B,D,L,E,K & JA	<b>150-7020</b>	30 mm	15)Max. FR axle load 880kg/-
Mégane 2.0-16V	95 / 03	BA, DA & EA	<b>150-7010</b>	30 mm	
Mégane II Hatchb. 1.4, 1.6 (excl auto), 1.5DCi	11.02 / 11.08	BM0/1& CM0/1	<b>150-7200</b>	30 mm	15)Max. FR axle load -/1015kg
Mégane II Hatchb. 1.6-Auto, 2.0 & 1.9DCi	11.02 / 11.08	BM0/1 & CM0/1	<b>150-7210</b>	30 mm	15)Max. FR axle load -/1060kg
Mégane II CC	11.02 / -	EM0/1	<b>150-7250</b>	30 mm	
Mégane Scénic II 1.4, 1.6 (excl auto), 1.5DCi	06.03 / -	JM0/1	<b>150-7235</b>	30 mm	
Mégane Scénic II 1.6-Auto, 2.0 & 1.9DCi	06.03 / -	JM0/1	<b>150-7240</b>	30 mm	
R5 GTE/GT Turbo,	89 / -	B & C405S	<b>150-1010</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
R5 GT Turbo, Supercinq	89 / -	B & C405S	<b>150-1020</b>	<b>60 mm</b>	1)
Twingo	92 / 07	C06	<b>150-5000</b>	30 mm	
Twingo	92 / 07	C06	<b>150-5020</b>	<b>50 mm</b>	
Twingo II all excl RS	08.07 / -	N	<b>150-5200</b>	30 mm	
Twingo II RS	09.08 / -	N	<b>150-5210</b>	25 mm	

## ROVER

214I, 214SI, 200 Vi - ex.D	96 / 99	RF	<b>200-2000</b>	35 mm	
25	99 / -	RF	<b>200-2000</b>	35 mm	
75 4 cyl.	99 / -	RJ	<b>200-3000</b>	35 mm	
75 V6 and Diesel	99 / -	RJ	<b>200-3010</b>	35 mm	
MG ZR105 1.4	03 / -	ZR	<b>200-2010</b>	30 mm	
MG ZR120 1.8, 160ZR 1.8 & 2.0 TD	03 / -	ZR	<b>200-2020</b>	30 mm	

## SAAB

9.3 (incl.cabrio)	98 / 09.02	YS3D	<b>350-2000</b>	35 mm	
9.5	98 / -		<b>350-1000</b>	35 mm	
9000 2.0	09.84 / 12.98		<b>350-3000</b>	35 mm	

## SATURN

Astra 1.8 DOHC VVT	07 / -	A-H	<b>60-6200</b>	35 mm	
--------------------	--------	-----	----------------	-------	--

## SEAT

Alhambra	97 / -	7MS	<b>80-8000</b>	25 mm	
Altea / Toledo 1.6	04 / -	5P	<b>80-7230</b>	30 mm	
Altea/Toledo 1.4TSI, 2.0FSI & TDi excl. Altea XL	04 / -	5P	<b>80-7240</b>	30 mm	
Arosa	05.97 / -	6H & HS	<b>130-4000</b>	40 mm	
Cordoba (see note)	93 / -	6K/C	<b>130-2030</b>	30 mm	15)Max axle load FR850/RR750
Cordoba 1.4i & 1.6i all, 1.9 SDi & 1.4TDi	02 / -	6L	<b>80-9000</b>	35 mm	
Cordoba 1.9 TDi	02 / -	6L	<b>80-9010</b>	35 mm	
Exeo 1.6 & 1.8 Petrol Engines	09 / -	3R	<b>130-5000</b>	35 mm	
Exeo 2.0 Petrol & TDi 4-cyl. all	09 / -	3R	<b>130-5010</b>	35 mm	
Ibiza 1.0, 1.3, 1.4	93 / 02	6K	<b>130-2020</b>	30 mm	
Ibiza 1.6, 1.8, 2.0, D, TD.	93 / 02	6K	<b>130-2000</b>	30 mm	
Ibiza Cupra	97 / 02	6K	<b>130-2010</b>	30 mm	
Ibiza 1.2i	02 / 05.08	6L	<b>80-9020</b>	35 mm	
Ibiza 1.4i & 1.6i all, 1.9 SDi & 1.4TDi	02 / 05.08	6L	<b>80-9000</b>	35 mm	
Ibiza 2.0 & 1.9 TDi	02 / 05.08	6L	<b>80-9010</b>	35 mm	
Ibiza FR, Cupra all excl. FR TDi	04 / 05.08	6L	<b>80-9050</b>	25 mm	
Ibiza FR TDi	04 / 05.08	6L	<b>80-9051</b>	25 mm	
Ibiza Petrol Engines	06.08 / -	6J	<b>130-2200</b>	35 mm	
Ibiza Diesel Engines	06.08 / -	6J	<b>130-2210</b>	35 mm	
Leon 1.4 - 1.8 and D	99 / 07.05	1M	<b>130-3050</b>	30 mm	
Leon 1.8T & TDi	99 / 07.05	1M	<b>130-3051</b>	30 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Leon 1.4, 1.6, 1.8	08.05 / -	1P	<b>130-3200</b>	35 mm	
Leon 2.0 FSi & TDI all	08.05 / -	1P	<b>130-3210</b>	35 mm	
Toledo all	91 / 98	1L	<b>130-3000</b>	30 mm	
Toledo excl. V5	98 / 04	1M	<b>130-3020</b>	35 mm	
Toledo Cupra 4WD & Leon 4WD	99 / 04	1M	<b>130-3040</b>	30 mm	

## SKODA

Fabia 1.0 all. excl. Station Wagon	00 / 03.07	6Y	<b>80-9020</b>	35 mm	
Fabia 1.2, 1.4 all, excl. Station Wagon	00 / 03.07	6Y	<b>80-9000</b>	35 mm	
Fabia 1.9, 2.0 & (TD) all, excl. Station Wagon	00 / 03.07	6Y	<b>80-9010</b>	35 mm	Less lowering on RS models
Fabia 1.2 12V - 1.6 16V & 1.4TDi	03.07 / -	5J	<b>80-9200</b>	40 mm	
Fabia 1.9TDi	03.07 / -	5J	<b>80-9210</b>	40 mm	
Octavia sedan 4x4	00 / 03.04	1U	<b>80-7080</b>	45 mm	
Octavia sedan	09.97 / 03.04	1U	<b>80-7000</b>	45 mm	
Octavia estate	10.98 / 03.04	1U	<b>80-7040</b>	35 mm	
Octavia estate 4x4	00 / 03.04	1U	<b>80-7090</b>	35 mm	
Octavia sedan 2wd, 1.4 , 1.6	03.04 / -	1Z	<b>80-7230</b>	35 mm	
Octavia sedan 2wd all, excl. 1.4 , 1.6	03.04 / -	1Z	<b>80-7240</b>	35 mm	
Octavia estate 2wd, 1.4 , 1.6	03.04 / -	1Z	<b>80-7230</b>	35 mm	
Octavia estate 2wd all, excl. 1.4 , 1.6	03.04 / -	1Z	<b>80-7240</b>	35 mm	
Octavia RS sedan & estate	05.04 / -	1Z	<b>80-7200</b>	20 mm	

## SMART

Smart (only for cars with coil springs front axle)	01.01 / -	MC01	<b>55-1000</b>	20 mm	
Smart For Two 1.0 & 0,8 CDi	03.07-	451	<b>55-1200</b>	20 mm	

## SUBARU

Impreza 2.0 GT Turbo	08.92 / 01	GC, GF, GFC	<b>320-1000</b>	35 mm	
Impreza WRX, excl. STi	01 / 03	GD	<b>320-1050</b>	40 mm	
Impreza WRX, sedan & wagon, excl. STi	03 / 07	GD	<b>320-1200</b>	30 mm	not for 6-sp gearbox
Impreza 1.5R,2.0R,2,5WRX,WRX STI;4WD	08 / -	G3	<b>320-1400</b>	35 mm	Less lowering on STi

## SUZUKI

Foreza excl. SW	03 / 11.08		<b>290-6000</b>	35 mm	
Ignis Sport , excl. 4WD	03 / -	RG	<b>140-5040</b>	35 mm	
Swift	89 / 05	EA	<b>140-2000</b>	35 mm	
Swift+ (USA)	02 / -		<b>290-5000</b>	30 mm	
Swift Petrol Engines 2wd	05 / 10	SG	<b>140-2200</b>	30 mm	
Swift Petrol Engines 2wd	05 / 10	SG	<b>140-2250</b>	<b>45 mm</b>	
Swift Diesel Engines 2wd	05 / 10	SG	<b>140-2210</b>	30 mm	
Vitara	88 / -	ET/TA	<b>140-3000</b>	40 mm	"On road" use only!

## TOYOTA

Auris excl. 2.2D	02.07 / -	E15J-UT	<b>170-6200</b>	35 mm	
------------------	-----------	---------	-----------------	-------	--

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Aygo	05 / -	AB1	<b>70-4200</b>	35 mm	
Camry 2.2 4-cyl	97 / -	V20	<b>170-7050</b>	30 mm	
Camry Saloon	02 / -	CV3	<b>170-7200</b>	30 mm	
Carina E	92 / -	T19	<b>170-3000</b>	30 mm	
Celica	90 / 99	T18, T18C, T20	<b>170-1000</b>	35 mm	
Celica	10.99 / -	ZZT230/231	<b>170-1040</b>	35 mm	not for rear shock 2B760 !
Corolla RWD	85 / 87	AE86	<b>170-2010</b>	30 mm	
Corolla excl. 4WD	05.87 / 04.92	E9	<b>170-6000</b>	30 mm	
Corolla	92 / 97	E10	<b>170-2000</b>	30 mm	
Corolla	97 / 01	E11	<b>170-2020</b>	35 mm	
Corolla Altis (Asian version)	00 / 08		<b>170-2070</b>	35 mm	
Corolla 1.4 - 1.8 Hatchb. & sedan	01 / -	E12U/J	<b>170-2200</b>	40 mm	
Corolla 2.0D Hatchb. & sedan	01 / -	E12U/J	<b>170-2220</b>	40 mm	
Corolla 2.0D Estate	01 / -	E12T	<b>170-2230</b>	30 mm	
Corolla 1.6 - 1.8 Verso	02 / -	E12J1	<b>170-2215</b>	30 mm	
Corolla 2.0 - 2.2D Verso	02 / -	E12J1	<b>170-2235</b>	30 mm	
Corolla Altis (Asian version)	08 / -		<b>170-2270</b>	35 mm	
Fortuner 2.7 and 3.0 TD	05 / -	KUN51R	<b>170-1500</b>	30 mm	
HiLux Vigo	10.04 / -		<b>170-0500</b>	30 mm	
MR2	85 / 89	AW11	<b>170-8010</b>	30 mm	
MR2	90 / 99	SW20	<b>170-8000</b>	30 mm	
MR2	00 / 05	W3	<b>170-8200</b>	30 mm	
Paseo	96 / 00	EL54	<b>170-5010</b>	35 mm	
Starlet	89 / 96	P8	<b>170-5000</b>	35 mm	
Starlet	96 / -	P9	<b>170-5010</b>	35 mm	
Supra Turbo	86 / 93	A70, A71	<b>170-9010</b>	30 mm	
Vios, Soluna Vios	10.02 / -		<b>170-5056</b>	45 mm	170-5055 is for 30 mm lowering
Wish, all 2wd	03 / 05		<b>170-3250</b>	35 mm	
Yaris / Vitz / Echo all excl. Verso	04.99 / 12.05	CP10	<b>170-5055</b>	35 mm	
Yaris Verso	04.99 / 12.05	P1, P1F, P2	<b>170-5050</b>	35 mm	
Yaris 1.1, 1.3, 1.5 & 1.4 D4-D	12.05 / 09.11	P9	<b>170-5200</b>	30 mm	

## VAUXHALL

Astra Mk3 1.4 - 2.0 incl 1.6 16V	91 / 98	F	<b>60-11100</b>	40 mm	
Astra Mk3 1.8-16V, 2.0-16V, excl. Cabrio	91 / 98	F	<b>60-11200</b>	40 mm	
Astra Mk4 saloon & hatchback 1.4 -1.6	98 / 04	T98	<b>60-11500</b>	35 mm	
Astra Mk4 saloon & hatchb. all excl.1.4 - 1.6	98 / 04	T98	<b>60-11510</b>	35 mm	less lowering on OPC
Astra Mk4 Coupe all	00 / 04	T98	<b>60-11510</b>	40 mm	
Astra Mk5 1.4-1.8 & 1.3D	03.04 / 11.09	A-H	<b>60-6200</b>	35 mm	
Astra Mk5 2.0 turbo & 1.7-1.9D	03.04 / 11.09	A-H	<b>60-6210</b>	35 mm	
Astra Mk5 Caravan 1.4-1.8 & 1.3D	10.04 / -	A-H/SW	<b>60-6230</b>	35 mm	
Astra Mk5 Caravan 2.0 turbo & 1.7-1.9D	10.04 / -	A-H/SW	<b>60-6240</b>	35 mm	
Astra Mk5 GTC/OPC 1.4-1.8 & 1.3D	03.04 / 11.09	A-H/C	<b>60-6200</b>	25 mm	
Astra Mk5 GTC/OPC 2.0 turbo & 1.7-1.9D	03.04 / 11.09	A-H/C	<b>60-6210</b>	25 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Astra Mk5 TwinTop 1.6-1.8	04.06 / -	A-H/C	<b>60-6250</b>	35 mm	
Astra Mk5 TwinTop 2.0 & 1.9 D	04.06 / -	A-H/C	<b>60-6260</b>	35 mm	
Calibra all, excl. V6 & Turbo 4WD	90 / -	A	<b>60-8010</b>	30 mm	
Corsa A	83 / 93	A	<b>60-9000</b>	40 mm	
Corsa A	83 / 93	A	<b>60-9010</b>	60 mm	1)
Corsa B all	93 / 00	B	<b>60-9020</b>	40 mm	
Corsa B & Tigra A	93 / 00	B, S93	<b>60-9030</b>	60/40 mm	1)
Corsa C, all	00 / 06	C	<b>60-9050</b>	40 mm	less lowering on OPC
Corsa D 1.0, 1.2 & 1.4	06 / -	S-D	<b>60-15000</b>	40 mm	
Corsa D 1.3D & 1.7D	06 / -	S-D	<b>60-15010</b>	40 mm	
Tigra	94 / 00	S93 coupé	<b>60-12000</b>	30 mm	
Tigra TT	04 / -	B	<b>60-9070</b>	40 mm	
Vectra B saloon & HB 1.6, 1.8 excl. 1.8 Auto	95 / 02	J96	<b>60-8050</b>	35 mm	
Vectra B saloon & HB 1.8 Auto,DTi 2.2	95 / 02	J96	<b>60-8051</b>	35 mm	
Zafira A all excl. 2.2i auto, 2.0DTi	01.99 / 05	T98 monocab	<b>60-11700</b>	30 mm	
Zafira A 2.2i auto, 2.0DTi, 2.2DTi	01.99 / 05	T98 monocab	<b>60-11720</b>	30 mm	
Zafira B 1.6, 1.8	05 / 12	A-H monocab	<b>60-8280</b>	35 mm	
Zafira B 2.0T, 2.2, 1.9CDTi	05 / 12	A-H monocab	<b>60-8290</b>	35 mm	

## VOLKSWAGEN

Bora	97 / 03	1J	<b>80-7070</b>	<b>50 mm</b>	7)
Bora 2-wd, 4-cyl. models excl. (T)Diesel	98 / 03	1J	<b>80-7050</b>	40 mm	15)Max. front axle load -/920 kg.
Bora 2-wd, VR5 and (T)Diesel	98 / 03	1J	<b>80-7051</b>	40 mm	7)15) Max. front axle load 921/- k
Bora 4-MOTION	99 / 03	1J	<b>80-7080</b>	35 mm	7)
Bora Variant 2-wd, 4-cyl , excl. (T)Diesel	99 / 03	1J	<b>80-7060</b>	40 mm	7)15) Max. front axle load -/910k
Bora Variant 2-wd, VR5 and (T)Diesel	99 / 03	1J	<b>80-7061</b>	40 mm	7)15) Max. front axle load 911/- k
Bora Variant 4-Motion	99 / 03	1J	<b>80-7090</b>	30 mm	7)
Caddy 1.4-1.6	05.04 / -	2K/2KN	<b>80-7400</b>	30 mm	Only front springs!
Caddy 1.9 TDI	05.04 / -	2K/2KN	<b>80-7410</b>	30 mm	Only front springs!
Corrado all, excl. VR6	88 / 95	53i	<b>80-2070</b>	35 mm	
Corrado VR6	91 / 95	53i	<b>80-6010</b>	35 mm	
Fox 1.2i & 1.4i	2005 / -	9N	<b>80-9020</b>	35 mm	
Fox 1.4TDI	2005 / -	9N	<b>80-9000</b>	35 mm	
Golf I, incl. Cabrio	74 / 83	17CK,155	<b>80-1000</b>	30 mm	5)
Golf I, incl. Cabrio	74 / 83	17CK,155	<b>80-1000/1</b>	60 mm	1) 5)
Golf II, excl. (T)D, 16V, G60, Syncro	83 / 91	19E	<b>80-2000</b>	30 mm	5)
Golf II 16V, (T)D	83 / 91	19E	<b>80-2010</b>	40 mm	
Golf II excl. G60, Syncro	83 / 91	19E	<b>80-2030</b>	60 mm	1)
Golf III incl. Cabrio	91 / 08.94	1HX0,1EX0	<b>80-6000</b>	40 mm	large top Ø !
Golf III 16V, GTi, VR6, TDi	91 / 08.94	1HXO	<b>80-6010</b>	30 mm	large top Ø !
Golf III	91 / 08.94	1HXO	<b>80-6020</b>	60 mm	1) large top Ø !
Golf III	09.94 / 08.97	1HXO	<b>80-6000/1</b>	30 mm	small top Ø !
Golf III 16V, GTi, VR6, TDi	09.94 / 08.97	1HXO	<b>80-6010/1</b>	30 mm	small top Ø !
Golf III	09.94 / 08.97	1HXO	<b>80-6020/1</b>	60 mm	1) small top Ø !

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Golf III <b>60/40</b>	91 / 08.94	1HXO	<b>80-6040</b>	<b>60/40 mm</b>	1) large top Ø !
Golf III <b>60/40</b>	09.94 / 08.97	1HXO	<b>80-6040/1</b>	<b>60/40 mm</b>	1) small top Ø !
Golf IV 2-wd, 4-cyl , excl. (T)Diesel	09.97 / 03	1J	<b>80-7000</b>	45 mm	7)
Golf IV 2-wd, VR5 and (T)Diesel	09.97 / 03	1J	<b>80-7010</b>	45 mm	7)
Golf IV	09.97 / 03	1J	<b>80-7070</b>	<b>50 mm</b>	7)
Golf IV Variant 2-wd 4-cyl , excl. (T)Diesel	99 / 11.03	1J	<b>80-7030</b>	45 mm	7)
Golf IV Variant 2-wd VR5 and (T)Diesel	99 / 11.03	1J	<b>80-7040</b>	45 mm	7)
Golf IV 4-MOTION	99 / 11.03	1J	<b>80-7080</b>	35 mm	7)
Golf IV Variant 4-MOTION	99 / 11.03	1J	<b>80-7090</b>	30 mm	7)
Golf V (& Plus) 2-wd, 4-cyl , excl. TDi & GTI	11.03 / 09	1K	<b>80-7200</b>	35 mm	
Golf V (& Plus) 2-wd, TDi (4-cyl) all	11.03 / 09	1K	<b>80-7210</b>	35 mm	
Golf V Variant 2-wd 4-cyl , excl. TDi	11.03 / 09	1K	<b>80-7220</b>	35 mm	
Golf V Variant 2-wd TDi (4-cyl) all	11.03 / 09	1K	<b>80-7230</b>	35 mm	
Golf V GTi + GTD	04 / 09	1K	<b>80-7250</b>	35 mm	
Golf V 4-Motion	04 / 09	1K	<b>80-7260</b>	35 mm	
Golf V R32	04 / 09	1K	<b>80-7240</b>	30 mm	
Golf VI Petrol Engines 2-wd (Excl.1.4TSI 160hp)	08 / -	1K	<b>80-7600</b>	30 mm	
Golf VI Diesel Engines 2-wd & 1.4TSI 160HP	08 / -	1K	<b>80-7610</b>	30 mm	
Golf VI GTi + GTD	04.09 / -	1K	<b>80-7650</b>	30 mm	
Jetta I	74 / 83	17CK,155	<b>80-1000</b>	30 mm	5)
Jetta I	74 / 83	17CK,155	<b>80-1000/1</b>	60 mm	1) 5)
Jetta II, excl. (T)D, 16V	83 / 91	19E	<b>80-2000/1</b>	30 mm	5)
Jetta II , excl. (T)D, 16V	83 / 91	19E	<b>80-2030</b>	60 mm	1)
Jetta 1.6	08.05 / -	1KM	<b>80-7300</b>	30mm	
Jetta 2.0 & TDi	08.05 / -	1KM	<b>80-7310</b>	40mm	
Lupo all, excl 3L.	98 / 05	6X	<b>80-3060</b>	40 mm	
New Beetle 2-wd	09.97 / -	1C/9C	<b>80-7020</b>	45 mm	
New Beetle Cabrio	03 / -	1C/9C	<b>80-7025</b>	45 mm	
New Beetle RSi	01 / -	9CR	<b>10-3010</b>	25 mm	
Passat Sedan chassisno. -> / 31PO26435	88 / 93	35i	<b>80-4000/1</b>	40 mm	
Passat Variant chassisno. -> / 31PO26435	88 / 93	35i	<b>80-4010/1</b>	40 mm	
Passat Variant chassisno. 31PO26436 / ->	93 / 96	35i	<b>80-4010/2</b>	40 mm	
Passat Sedan 4 cyl. excl. TDi	97 / 05	3B	<b>80-4050</b>	40 mm	
Passat Sedan 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4051</b>	40 mm	
Passat Sedan all 6 cyl. models	97 / 05	3B	<b>80-4051/2</b>	40 mm	
Passat Variant 4 cyl, excl. TDi	97 / 05	3B	<b>80-4052</b>	35 mm	
Passat Variant 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4052/1</b>	35 mm	
Passat Variant all 6 cyl. models	97 / 05	3B	<b>80-4052/2</b>	35 mm	
Passat Syncro 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4053/1</b>	35 mm	
Passat Syncro all 6 cyl. models	97 / 05	3B	<b>80-4053/2</b>	35 mm	
Passat Sedan 1.6	03.05 / -	3C	<b>80-4230</b>	40 mm	2wd only
Passat Sedan 2.0 & 1.9-2.0D	03.05 / -	3C	<b>80-4240</b>	40 mm	2wd only
Passat Variant 1.6	03.05 / -	3C	<b>80-4235</b>	40 mm	2), 2wd only
Passat Variant 2.0 & 1.9-2.0D	03.05 / -	3C	<b>80-4245</b>	40mm	2), 2wd only

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
Passat 4-Motion (Sedan+Variant) 2.0FSi	03.05 / -	3C	<b>80-4250</b>	40mm	2), 4wd only
Passat 4-Motion (Sedan+Variant) 2.0TDi 3.2FSI	03.05 / -	3C	<b>80-4255</b>	40mm	2), 4wd only
Polo G40	90 / 94	86C	<b>80-3011</b>	30 mm	
Polo	75 / 81	86	<b>80-3000</b>	35 mm	6)
Polo	75 / 81	86	<b>80-3020</b>	60 mm	1) 6)
Polo	81 / 94	86C	<b>80-3010</b>	35 mm	
Polo IV excl. Variant	94 / 10.99	6N	<b>80-3050</b>	35 mm	
Polo IV excl. Variant	94 / 10.99	6N	<b>80-3051</b>	<b>60 mm</b>	1)
Polo IV excl. Variant	00 / 02	6N	<b>80-3073</b>	<b>60 mm</b>	1)
Polo IV all excl. 1.0, Gti and Variant	11.99 / 02	6N	<b>80-3070</b>	35 mm	front top mount has 3 bolts
Polo IV 1.0	11.99 / 02	6N	<b>80-3071</b>	35 mm	front top mount has 3 bolts
Polo IV Gti	11.99 / 02	6N	<b>80-3072</b>	30 mm	front top mount has 3 bolts
Polo V 1.2i & 1.4i & 1.6i	02 / 06.09	9N	<b>80-9020</b>	35 mm	
Polo V 1.9 SDi & 1.4 TDi	02 / 06.09	9N	<b>80-9000</b>	35 mm	
Polo V 1.9 TDi	02 / 06.09	9N	<b>80-9010</b>	35 mm	
Polo max. front axle load -/929kg	06.09 / -	6R	<b>80-9300</b>	25/40 mm	15)
Polo max. front axle load 930kg/-	06.09 / -	6R	<b>80-9310</b>	25/40 mm	15)
Sharan	02.95 / -	7M	<b>80-8000</b>	25 mm	
Touran 1.6	'03 / -	1T	<b>80-7235</b>	30 mm	
Touran all excl. 1.6	'03 / -	1T	<b>80-7245</b>	30 mm	
Transporter T3, excl. Syncro	79 / 90	T3	<b>80-0500</b>	35 mm	For non-commercial use only!
Transporter T4, excl. Syncro	9.90 / -	T4	<b>80-0700</b>	50 mm	For non-commercial use only!
Transporter T5 2.0	03 / -	T5	<b>80-0800</b>	35 mm	For non-commercial use only!
Transporter T5 1.9 TDi + 2.5 TDi 5-cyl	03 / -	T5	<b>80-0810</b>	35 mm	For non-commercial use only!
Transporter T5 all V6, excl 4-Motion	03 / -	T5	<b>80-0820</b>	35 mm	For non-commercial use only!
Transporter T5 4-Motion	03 / -	T5	<b>80-0830</b>	35 mm	For non-commercial use only!
Vento	91 / 08.94	1HX0	<b>80-6000</b>	40 mm	large top Ø !
Vento	91 / 08.94	1HX0	<b>80-6020</b>	60 mm	1) large top Ø !
Vento	09.94 / 97	1HX0	<b>80-6000/1</b>	40 mm	small top Ø !
Vento	09.94 / 97	1HX0	<b>80-6020/1</b>	60 mm	1) small top Ø !

## VOLVO

740, 760 - 940 excl. Diesel	84 / 92	744	<b>250-1000</b>	40 mm	2)
850 Sedan, S70	92 / 96	LS, LW, L & N	<b>250-2000</b>	40 mm	2)
850 Estate incl. Turbo, T-5, T5-R, TDI, V70	92 / 96	LS	<b>250-2010</b>	40 mm	2)
C30 1.6, 1.8, 2.0	01.07 / -	M	<b>250-4200</b>	30 mm	
C30 1.6D, 2.0D, 2.4, T5, D5	01.07 / -	M	<b>250-4210</b>	35 mm	less lowering on T5
S40, V40	96 / 6.99	M, VW	<b>250-4000</b>	35 mm	2)
S40, V40 model 2000 only	7.99 / 7.00	M, VW	<b>250-4010</b>	35 mm	2)
S40 1.6, 1.8, 1.6TD	04.04 / -	M	<b>250-4200</b>	35 mm	
S40 2.0TD, 2.4, T5	04.04 / -	M	<b>250-4210</b>	35 mm	less lowering on T5
S60	00 / 09	R	<b>250-6000</b>	25 mm	2)
S80	98 / 06	T	<b>250-5000</b>	35 mm	2)
V50 1.6, 1.8, 1.6TD	04.04 / -	M	<b>250-4230</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 13-4-2012

Model	Year	Type	Apex Kit #	Lowering approx	Notes
V50 2.0TD, 2.4, T5	04.04 / -	M	<b>250-4240</b>	35 mm	less lowering on T5
V70 excl. R & AWD	00 / 08	T,S	<b>250-5000</b>	35 mm	2)
V70 T6 incl. 4WD	08 / -	B	<b>250-5250</b>	30 mm	2) also for FourC platform
V70 2.0-2.5D, D5, 2.5T & 3.2 incl. 4WD	08.07 / -	B	<b>250-5230</b>	30 mm	2) also for FourC platform

## NOTES

### Notes:

- 1) use with shortened shock absorbers only.
- 2) not for cars with self-levelling shock absorbers/suspension.
- 4) MB fits rubber insulators between the springs and the spring seats. The available thickness varies from 8 - 23 mm.
- 5) Golf I and Jetta I up to 08.79 must use Golf II front upper spring seat # 171.41.234.1A
- 6) Polo up to 08.79 must use front upper spring seat Polo II # 141.21.13B
- 7) For lowering over 45 mm. the front anti-roll bar may touch the RH drive shaft. The bar can be replaced by APEX partnumber **SF 60-45145**. This must be ordered separately.
- 14) On RH-drive models, check the routing of the powersteering hoses and make sure that they are not chafing the steering arms.
- 15) Please check you maximum axleloads. They should not exceed the mentioned load. You can find your vehicles maximum axleloads on your vehicles chassis number identification plate.

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue